

Technical sheet :

GENERAL PURPOSE BUCKET



Benefits

- General purpose attachment for a daily use.
- Basic attachment for loading and unloading operations.
- Robust and easy to use this bucket meets the needs of very different work fields.
- Ideal bucket for handling bulk materials: sand & gravel, earth, broken glass etc.

Technical characteristics

- Wide range of bucket capacity from 730L to 1000L.
- Recovery bucket suitable for handling materials with a density $\leq 2,1$.
- Reinforced structure (base, blade, sides).
- Optional "LDR" 500HB bolt-on wear plate.
- Bucket to be used on machines equipped with an integrated side shift carriage ("TSDL")

| Weight and dimensions | | CBR 730 / 1850 | CBR 780 / 1950 | CBR 900 / 2250 | CBR 850 / 2100 | CBR 600 / 1500 | CBR 2000 / 2500 LDR MHT |
|-----------------------|--|----------------|----------------|----------------|----------------|----------------|----------------------------|
| Width (mm) | | 1850 | 1950 | 2250 | 2100 | 1500 | 2482 |
| Length (mm) | | 815 | 815 | 815 | 838 | 845 | 1418 |
| Overall weight (kg) | | 318 | 328 | 360 | 358 | 274 | 926 |

| Machines compatibility | CBR 730 / 1850 | CBR 780 / 1950 | CBR 900 / 2250 | CBR 850 / 2100 | CBR 600 / 1500 | CBR 2000 / 2500 LDR MHT |
|---|----------------|----------------|----------------|----------------|----------------|----------------------------|
| Reference Number | 571831 | 570613 | 653749 | 653047 | 570614 | - |
| Reference number bolted wearplate (LDR) | 52000369 | - | - | - | 52584881 | - |
| Skid Steer Carriage reference | - | - | - | - | 52000783 | - |
| MLT 625 75 H | X | - | - | - | - | - |
| MLT 630-105 | - | - | X | X | - | - |
| MLT 630-105 V | - | - | X | X | - | - |
| MLT 630-105 V CP | - | - | X | X | - | - |
| MLT 730-115 V | - | - | X | X | - | - |
| MLT 730-115 V CP | - | - | X | X | - | - |
| MLT-X 735 T LSU | - | - | X | - | - | - |
| MRT 1440 Easy T4 S1 400° | - | - | X | - | - | - |
| MRT 1640 Easy T4 S1 360° | - | - | X | - | - | - |
| MRT 1640 Easy T4 S1 400° | - | - | X | - | - | - |
| MRT 1640 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 1640 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT 1840 Easy T4 S1 360° | - | - | X | - | - | - |
| MRT 1840 Easy T4 S1 400° | - | - | X | - | - | - |
| MRT 1840 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 1840 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT 2145 Easy T4 S1 360° | - | - | X | - | - | - |
| MRT 2145 Easy T4 S1 400° | - | - | X | - | - | - |
| MRT 2145 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 2145 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT 2150 Privilege Plus | - | - | X | - | - | - |
| MRT 2470 Privilege Plus | - | - | X | - | - | - |
| MRT 2545 Easy T4 S1 360° | - | - | X | - | - | - |
| MRT 2545 Easy T4 S1 400° | - | - | X | - | - | - |
| MRT 2545 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 2545 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT 2550 Privilege Plus | - | - | X | - | - | - |
| MRT 3050 Privilege Plus | - | - | X | - | - | - |
| MRT 3255 Privilege Plus | - | - | X | - | - | - |
| MT 420 H | - | - | - | - | X | - |
| MT 625 H | X | - | - | - | - | - |
| MT 625 HA | X | - | - | - | - | - |
| MT 1033 easy | - | - | X | - | - | - |
| MT 1440 | - | X | X | - | - | - |
| MT 1440 A | - | X | X | - | - | - |
| MT 1440 HA | - | X | X | - | - | - |
| MT 1840 | - | - | X | - | - | - |
| MT 1840 A | - | - | X | - | - | - |
| MT 1840 HA | - | - | X | - | - | - |
| Reference Number E-RECO | - | - | 921281 | - | - | 52000532 |
| MHT 10130 | - | - | - | - | - | X |
| MHT 10180 | - | - | - | - | - | X |
| MHT 10230 | - | - | - | - | - | X |
| MHT-X 10130 | - | - | - | - | - | X |
| MHT-X 10180 | - | - | - | - | - | X |
| MHT-X 10230 | - | - | - | - | - | X |
| MRT 2150 Privilege Plus | - | - | X | - | - | - |
| MRT 2470 Privilege Plus | - | - | X | - | - | - |

| Machines compatibility | CBR 730 / 1850 | CBR 780 / 1950 | CBR 900 / 2250 | CBR 850 / 2100 | CBR 600 / 1500 | CBR 2000 / 2500 LDR MHT |
|---------------------------|----------------|----------------|----------------|----------------|----------------|----------------------------|
| MRT 2550 Privilege Plus | - | - | X | - | - | - |
| MRT 3050 Privilege Plus | - | - | X | - | - | - |
| MRT-X 2150 Privilege Plus | - | - | X | - | - | - |
| MRT-X 2470 Privilege Plus | - | - | X | - | - | - |
| MRT-X 2550 Privilege Plus | - | - | X | - | - | - |
| MRT-X 3050 Privilege Plus | - | - | X | - | - | - |
| Reference Number E-RECO 2 | - | - | 925903 | - | - | - |
| MRT 1640 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 1840 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 1840 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT 2145 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 2145 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT 2545 Easy T4 S2 360° | - | - | X | - | - | - |
| MRT 2545 Easy T4 S2 400° | - | - | X | - | - | - |
| MRT-X 1640 Easy 360° | - | - | X | - | - | - |
| MRT-X 1640 Easy 400° | - | - | X | - | - | - |
| MRT-X 1840 Easy 360° | - | - | X | - | - | - |
| MRT-X 1840 Easy 400° | - | - | X | - | - | - |
| MRT-X 2545 Easy 360° | - | - | X | - | - | - |
| MRT-X 2545 Easy 400° | - | - | X | - | - | - |



Siège Social

430 rue de l'Aubinière - 44150 Ancenis Cedex - France

Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes